

## Data Sheet

# CellGenix® Recombinant Human Interferon-gamma (rh IFN-γ)

Preclinical Grade - Order No.: 1425-050 (50 μg)

#### **Product Characteristics**

Source E. coli

Description Human Interferon-gamma, accession # P01579, Gln24-Arg162

N-terminal Met

Molecular mass 16.5 kDa

Formulation Lyophilized from a 0.2 μm-filtered solution containing 20 mM succinate, pH 5.0.

**Intended use** For preclinical ex vivo use. Not intended for therapeutic use.

#### **Quality Parameters**

Activity  $\geq 10 \times 10^6 \text{ IU/mg calibrated against Imukin}^{\odot}$ 

Measured in a cell cytotoxicity assay using a IFN-y-sensitive cell line, HT-29

Purity ≥ 95 %, as determined by SDS-PAGE (under reducing and non-reducing conditions,

visualized by Coomassie staining)

Endotoxin < 1000 EU/mg, as determined by LAL gel clot test

Sterility Sterility test of the vialed product

Mass per vial 50 μg

Animal-derived ADCF Level 2: The final product contains neither animal-nor human-derived component-free materials. ADCF Level 2 cytokines are produced in our dedicated animal-free facility.

No animal-derived components are used throughout the complete production

process. All ADCF Level 2 cytokines are produced in E. coli.





## Shipment & Storage

**Transport** Ambient temperature. Please refer to Technote (www.cellgenix.com)

Shelf life 3 years from date of shipment

Storage & Stability Store lyophilized cytokine at -20°C to -80°C.

Avoid repeated freeze/thaw cycles.

### **Handling Instructions**

Reconstitution Recommended in sterile water to a final concentration of 250 μg/ml.

**Dilution** Recommended in CellGenix® serum-free media. For dilution with protein free

medium, a carrier protein (0.1–1 % albumin or 1–10 % appropriate serum) has to be included. Failure to dilute product according to these instructions may result in loss

of activity.

### **Quality Statement**

Final manufacturing steps and QC are performed in a GMP facility. No animal- or human-derived components are present in the final product and no animal- or human-derived materials were used in production (ADCF Level 2).